

Author index to volume 35

- Aono, M., see Matsuda, M., 31
- Arnold, I.C.J., see Mol, J.A., 189
- Atkinson, M.E., see Doughty, S.E., 59
- Barthó, L., Calcitonin gene-related peptide and capsaicin inhibit the circular muscle of the guinea-pig ileum, 43
- Bateman, A., Singh, A., Congote, L.F. and Solomon, S., The effect of HP-1 and related neutrophil granule peptides on DNA synthesis in HL60 cells, 135
- Bjenning, C., Farrell, A.P. and Holmgren, S., Bombesin-like immunoreactivity in skates and the in vivo effect of bombesin on coronary vessels from the longnose skate, *Raja rhina*, 207
- Buchanan, K.D., see Shaw, C., 49
- Cauvin, A., Robberecht, P., De Neef, P., Gourlet, P., Vandermeers, A., Vandermeers-Piret, M.-C. and Christophe, J., Properties and distribution of receptors for pituitary adenylate cyclase activating peptide (PACAP) in rat brain and spinal cord, 161
- Christophe, J., see Cauvin, A., 161
- Congote, L.F., see Bateman, A., 135
- Dabney, J.M., see Dobbins, D.E., 81
- De Neef, P., see Cauvin, A., 161
- Dobbins, D.E. and Dabney, J.M., Endothelin-mediated constriction of prenodal lymphatic vessels in the canine forelimb, 81
- Doughty, S.E., Atkinson, M.E. and Shehab, S.S.A., A quantitative study of neuropeptide immunoreactive cell bodies of primary afferent sensory neurons following rat sciatic nerve peripheral axotomy, 59
- Duve, H., Sewell, J.C., Scott, A.G. and Thorpe, A., Chromatographic characterization and biological activity of neuropeptides immunoreactive to antisera against Met⁵-enkephalin-Arg⁶-Phe⁷ (YGGFMRF) extracted from the blowfly *Calliphora vomitoria* (Diptera), 145
- Farrell, A.P., see Bjenning, C., 207
- Furness, J.B., see Shaw, C., 49
- Garcia, R., see Gauquelin, G., 73
- Gauquelin, G., Thibault, G. and Garcia, R., Renal glomerular endothelin receptors in rats with high-output heart failure, 73
- Gerhardt, P., see Hasenöhrl, R.U., 177
- Gourlet, P., see Cauvin, A., 161
- Hasenöhrl, R.U., Gerhardt, P. and Huston, J.P., Naloxone blocks conditioned place preference induced by substance P and [pGlu⁶]-SP(6-11), 177
- Hazewinkel, H.A.W., see Mol, J.A., 189
- Hellström, P.M., see Schultz, I., 197
- Henke, P.G., see Ray, A., 11
- Hoffman, T.L., see Smith, P.G., 103
- Holmgren, S., see Bjenning, C., 207
- Huston, J.P., see Hasenöhrl, R.U., 177
- Imamura, I., see Kawabata, S., 1
- Kanayama, S., see Kawabata, S., 1
- Kawabata, S., Kanayama, S., Shinomura, Y., Miyazaki, Y., Imamura, I., Moriwaki, K., Wada, H. and Tarui, S., Effect of cholecystokinin receptor antagonists, MK-329 and L-365,260, on cholecystokinin-induced acid secretion and histidine decarboxylase activity in the rat, 1
- Kobayashi, H., see Tateishi, K., 95
- Kwant, M.M., see Mol, J.A., 189
- Madarame, T., see Tateishi, K., 95
- Matsuda, M., Aono, M., Moriga, M. and Okuma, M., Centrally administered NPY stimulated gastric acid and pepsin secretion by a vagally mediated mechanism, 31
- Matsuoka, Y., see Tateishi, K., 95
- Miura, Y., see Tateishi, K., 95
- Miyazaki, Y., see Kawabata, S., 1
- Mogard, M.H., see Schultz, I., 197
- Mol, J.A., Kwant, M.M., Arnold, I.C.J. and Hazewinkel, H.A.W., Elucidation of the sequence of canine (pro)-calcitonin. A molecular biological and protein chemical approach, 189
- Moriga, M., see Matsuda, M., 31

- Moriwaki, K., see Kawabata, S., 1
- Murphy, R., see Shaw, C., 49
- Ogura, T., see Takatori, K., 115
- Okuma, M., see Matsuda, M., 31
- Ota, Z., see Takatori, K., 115
- Ray, A. and Henke, P. G., TRH-enkephalin interactions in the amygdaloid complex during gastric stress ulcer formation in rats, 11
- Reddy, H., see Smith, P. G., 103
- Robberecht, P., see Cauvin, A., 161
- Sander, L. D. and Thomas, R. M., Gastrin releasing peptide, but not pentagastrin, stimulates ACTH and cortisol secretion in conscious dogs, 127
- Sato, S., see Tateishi, K., 95
- Schultz, I., Wallin, B., Mogard, M. H. and Hellström, P. M., Neuromedin-N inhibits migrating myoelectric complex and induces irregular spiking in the small intestine of rats; comparison with neurotensin, 197
- Scott, A. G., see Duve, H., 145
- Sewell, J. C., see Duve, H., 145
- Shaw, C., Murphy, R., Thim, L., Furness, J. B. and Buchanan, K. D., Marsupial possum neurotensin: a unique mammalian regulatory peptide exhibiting structural homology to the avian analogue, 49
- Shehab, S. S. A., see Doughty, S. E., 59
- Shinomura, Y., see Kawabata, S., 1
- Singh, A., see Bateman, A., 135
- Smith, P. G., Hoffman, T. L. and Reddy, H., Sprouting of aberrant neuropeptide Y-immunoreactive sympathetic nerves into neonatally denervated smooth muscle, 103
- Solomon, S., see Bateman, A., 135
- Suzuki, K., see Tateishi, K., 95
- Takatori, K., Ogura, T. and Ota, Z., Computerized approach using autoradiography to quantify atrial natriuretic peptide receptors in the DOCA-salt hypertensive rat kidney, 115
- Takeichi, N., see Tateishi, K., 95
- Tarui, S., see Kawabata, S., 1
- Tateishi, K., Miura, Y., Madarame, T., Yoshida, T., Suzuki, K., Takeichi, N., Kobayashi, H., Matsuoka, Y. and Sato, S., Reduced cholecystokinin in the brain of LEC rats with hepatic encephalopathy, 95
- Thibault, G., see Gauquelin, G., 73
- Thim, L., see Shaw, C., 49
- Thomas, R. M., see Sander, L. D., 127
- Thorpe, A., see Duve, H., 145
- Vandermeers, A., see Cauvin, A., 161
- Vandermeers-Piret, M.-C., see Cauvin, A., 161
- Wada, H., see Kawabata, S., 1
- Wallin, B., see Schultz, I., 197
- Wiik, P., Glucocorticoids upregulate the high affinity receptors for vasoactive intestinal peptide (VIP) on human leucocytes in vitro, 19
- Yoshida, T., see Tateishi, K., 95

Key word index to volume 35

- Acute hepatic failure; CCK immunoreactivity; Immunohistochemistry, 95
- Adenylate cyclase; PACAP (pituitary adenylate cyclase activating polypeptide) receptor; Rat central nervous system, 161
- Aorto-caval shunt; Receptor regulation; Plasma endothelin, 73
- Atrial natriuretic peptide; Autoradiography; Receptor; Kidney; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- Autoradiography; Atrial natriuretic peptide; Receptor; Kidney; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- Bombesin; GRP; Pituitary-adrenal, 127
- C-terminal analog [pGlu⁶]-SP(6-11); Tachykinin; Substance P; Opioid; Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- CCK immunoreactivity; Acute hepatic failure; Immunohistochemistry, 95
- Calcitonin gene-related peptide; Vasoactive intestinal polypeptide; Fluoride-resistant acid phosphatase; Quantitation; Retrograde neuronal tracer, 59
- Calcitonin; Dog; Nucleotide sequence, 189
- Central administration; Neuropeptide Y (NPY); Noradrenaline; Gastric secretion; Gastrin; Gastric mucosal blood flow, 31
- Central amygdalar nucleus; Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Naloxone; Stress ulcer, 11
- Cholecystokinin; Gastrin; MK-329; L365,260; Gastric acid secretion; Histidine decarboxylase, 1
- Comparative endocrinology; Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Insect salivary gland; Structure-activity relationship, 145
- Computerized microdensitometry; Autoradiography; Atrial natriuretic peptide; Receptor; Kidney; DOCA-salt hypertensive rat, 115
- Conditioned place preference; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Rat, 177
- Coronary vasoconstriction; Elasmobranch; Vascular smooth muscle; Gut innervation, 207
- Cytostatic; Defensin; Neutrophil; Growth inhibitor; Myeloid cell; Leukemia, 135
- D-Ala²-Met-enkephalinamide; Thyrotropin releasing hormone; Naloxone; Central amygdalar nucleus; Stress ulcer, 11
- DOCA-salt hypertensive rat; Autoradiography; Atrial natriuretic peptide; Receptor; Kidney; Computerized microdensitometry, 115
- Defensin; Neutrophil; Growth inhibitor; Cytostatic; Myeloid cell; Leukemia, 135
- Denervation; Neuronal plasticity; Phenotype; Noradrenergic fiber; Development; Reinnervation, 103
- Development; Denervation; Neuronal plasticity; Phenotype; Noradrenergic fiber; Reinnervation, 103
- Dog; Calcitonin; Nucleotide sequence, 189
- Elasmobranch; Coronary vasoconstriction; Vascular smooth muscle; Gut innervation, 207
- Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Enkephalin; Neuropeptide; Radioimmunoassay; FMRFamide; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Enteric neuropeptide; Primary afferent; Tetrodotoxin; Gut motility, 43
- FMRFamide; Neuropeptide; Radioimmunoassay; Enkephalin; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Fluoride-resistant acid phosphatase; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Quantitation; Retrograde neuronal tracer, 59

- GRP; Bombesin; Pituitary-adrenal, 127
- Gas phase sequencing; Neurotensin; Intestine; Marsupial possum; Mass spectroscopy, 49
- Gastric acid secretion; Cholecystokinin; Gastrin; MK-329; L365,260; Histidine decarboxylase, 1
- Gastric mucosal blood flow; Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastric secretion; Gastrin, 31
- Gastric secretion; Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastrin; Gastric mucosal blood flow, 31
- Gastrin; Cholecystokinin; MK-329; L365,260; Gastric acid secretion; Histidine decarboxylase, 1
- Gastrin; Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastric secretion; Gastric mucosal blood flow, 31
- Gastrointestinal motility; Neuropeptide; Small intestinal motility, 197
- Glucocorticoid; Leucocyte; VIP-receptor; Neuroimmunomodulation, 19
- Growth inhibitor; Defensin; Neutrophil; Cytostatic; Myeloid cell; Leukemia, 135
- Gut innervation; Coronary vasoconstriction; Elasmobranch; Vascular smooth muscle, 207
- Gut motility; Enteric neuropeptide; Primary afferent; Tetrodotoxin, 43
- Histidine decarboxylase; Cholecystokinin; Gastrin; MK-329; L365,260; Gastric acid secretion, 1
- Immunohistochemistry; Acute hepatic failure; CCK immunoreactivity, 95
- Insect salivary gland; Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Structure-activity relationship; Comparative endocrinology, 145
- Intestine; Neurotensin; Marsupial possum; Gas phase sequencing; Mass spectroscopy, 49
- Kidney; Autoradiography; Atrial natriuretic peptide; Receptor; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- L365,260; Cholecystokinin; Gastrin; MK-329; Gastric acid secretion; Histidine decarboxylase, 1
- Leucocyte; Glucocorticoid; VIP-receptor; Neuroimmunomodulation, 19
- Leukemia; Defensin; Neutrophil; Growth inhibitor; Cytostatic; Myeloid cell, 135
- Lymph; Endothelium; Vascular smooth muscle; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Lymphatic perfusion pressure; Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Lymphatic resistance; Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm, 81
- Lymphospasm; Endothelium; Vascular smooth muscle; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphatic resistance, 81
- MK-329; Cholecystokinin; Gastrin; L365,260; Gastric acid secretion; Histidine decarboxylase, 1
- Marsupial possum; Neurotensin; Intestine; Gas phase sequencing; Mass spectroscopy, 49
- Mass spectroscopy; Neurotensin; Intestine; Marsupial possum; Gas phase sequencing, 49
- Myeloid cell; Defensin; Neutrophil; Growth inhibitor; Cytostatic; Leukemia, 135
- Naloxone; Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Central amygdalar nucleus; Stress ulcer, 11
- Naloxone; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Reinforcement; Conditioned place preference; Rat, 177
- Neuroimmunomodulation; Leucocyte; Glucocorticoid; VIP-receptor, 19
- Neuronal plasticity; Denervation; Phenotype; Noradrenergic fiber; Development; Reinnervation, 103
- Neuropeptide Y (NPY); Noradrenaline; Central administration; Gastric secretion; Gastrin; Gastric mucosal blood flow, 31
- Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Neuropeptide; Small intestinal motility; Gastrointestinal motility, 197
- Neurotensin; Intestine; Marsupial possum; Gas phase sequencing; Mass spectroscopy, 49
- Neutrophil; Defensin; Growth inhibitor; Cytostatic; Myeloid cell; Leukemia, 135
- Noradrenaline; Neuropeptide Y (NPY); Central administration; Gastric secretion; Gastrin; Gastric mucosal blood flow, 31
- Noradrenergic fiber; Denervation; Neuronal plasticity; Phenotype; Development; Reinnervation, 103
- Nucleotide sequence; Dog; Calcitonin, 189
- Opioid; Tachykinin; Substance P; C-terminal

- analog [pGlu⁶]-SP(6-11); Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- PACAP (pituitary adenylate cyclase activating polypeptide) receptor; Adenylate cyclase; Rat central nervous system, 161
- Perfused lymphatic; Endothelium; Vascular smooth muscle; Lymph; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Phenotype; Denervation; Neuronal plasticity; Noradrenergic fiber; Development; Reinnervation, 103
- Pituitary-adrenal; GRP; Bombesin, 127
- Plasma endothelin; Aorto-caval shunt; Receptor regulation, 73
- Primary afferent; Enteric neuropeptide; Tetrodotoxin; Gut motility, 43
- Quantitation; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Fluoride-resistant acid phosphatase; Retrograde neuronal tracer, 59
- Radioimmunoassay; Neuropeptide; Enkephalin; FMRFamide; Insect salivary gland; Structure-activity relationship; Comparative endocrinology, 145
- Rat central nervous system; PACAP (pituitary adenylate cyclase activating polypeptide) receptor; Adenylate cyclase, 161
- Rat; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Conditioned place preference, 177
- Receptor regulation; Aorto-caval shunt; Plasma endothelin, 73
- Receptor; Autoradiography; Atrial natriuretic peptide; Kidney; Computerized microdensitometry; DOCA-salt hypertensive rat, 115
- Reinforcement; Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Conditioned place preference; Rat, 177
- Reinnervation; Denervation; Neuronal plasticity; Phenotype; Noradrenergic fiber; Development, 103
- Retrograde neuronal tracer; Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Fluoride-resistant acid phosphatase; Quantitation, 59
- Small intestinal motility; Neuropeptide; Gastrointestinal motility, 197
- Stress ulcer; Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Naloxone; Central amygdalar nucleus, 11
- Structure-activity relationship; Neuropeptide; Radioimmunoassay; Enkephalin; FMRFamide; Insect salivary gland; Comparative endocrinology, 145
- Substance P; Tachykinin; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Conditioned place preference; Rat, 177
- Tachykinin; Substance P; C-terminal analog [pGlu⁶]-SP(6-11); Opioid; Naloxone; Reinforcement; Conditioned place reference; Rat, 177
- Tetrodotoxin; Enteric neuropeptide; Primary afferent; Gut motility, 43
- Thyrotropin releasing hormone; D-Ala²-Met-enkephalinamide; Naloxone; Central amygdalar nucleus; Stress ulcer, 11
- VIP-receptor; Leucocyte; Glucocorticoid; Neuroimmunomodulation, 19
- Vascular smooth muscle; Endothelium; Lymph; Perfused lymphatic; Lymphatic perfusion pressure; Lymphospasm; Lymphatic resistance, 81
- Vascular smooth muscle; Coronary vasoconstriction; Elasmobranch; Gut innervation, 207
- Vasoactive intestinal polypeptide; Calcitonin gene-related peptide; Fluoride-resistant acid phosphatase; Quantitation; Retrograde neuronal tracer, 59

Contents of volume 35

Number 1, 23 July 1991

Announcement from the Publisher	v
Effect of cholecystokinin receptor antagonists, MK-329 and L-365,260, on cholecystokinin-induced acid secretion and histidine decarboxylase activity in the rat <i>S. Kawabata, S. Kanayama, Y. Shinomura, Y. Miyazaki, I. Imamura, K. Moriwaki, H. Wada and S. Tarui (Japan)</i>	1
TRH-enkephalin interactions in the amygdaloid complex during gastric stress ulcer formation in rats <i>A. Ray and P. G. Henke (India, Canada)</i>	11
Glucocorticoids upregulate the high affinity receptors for vasoactive intestinal peptide (VIP) on human mononuclear leucocytes in vitro <i>P. Wiik (Norway)</i>	19
Centrally administered NPY stimulated gastric acid and pepsin secretion by a vagally mediated mechanism <i>M. Matsuda, M. Aono, M. Moriga and M. Okuma (Japan)</i>	31
Calcitonin gene-related peptide and capsaicin inhibit the circular muscle of the guinea-pig ileum <i>L. Barthó (Hungary)</i>	43
Marsupial possum neurotensin: a unique mammalian regulatory peptide exhibiting structural homology to the avian analogue <i>C. Shaw, R. Murphy, L. Thim, J. B. Furness and K. D. Buchanan (Northern Ireland, Australia, Denmark)</i>	49
A quantitative study of neuropeptide immunoreactive cell bodies of primary afferent sensory neurons following rat sciatic nerve peripheral axotomy <i>S. E. Doughty, M. E. Atkinson and S. A. S. Shehab (U.K.)</i>	59
Renal glomerular endothelin receptors in rats with high-output heart failure <i>G. Gauquelin, G. Thibault and R. Garcia (Canada)</i>	73
Endothelin-mediated constriction of prenodal lymphatic vessels in the canine forelimb <i>D. E. Dobbins and J. M. Dabney (U.S.A.)</i>	81
Announcements	93

Number 2, 13 August 1991

Announcement from the Publisher	iii
Reduced cholecystokinin in the brain of LEC rats with hepatic encephalopathy <i>K. Tateishi, Y. Miura, T. Madarame, T. Yoshida, K. Suzuki, N. Takeichi, H. Kobayashi, Y. Matsuoka and S. Sato (Japan)</i>	95
Sprouting of aberrant neuropeptide Y-immunoreactive sympathetic nerves into neonatally denervated smooth muscle <i>P. G. Smith, T. L. Hoffman and H. Reddy (U.S.A.)</i>	103

Computerized approach using autoradiography to quantify atrial natriuretic peptide receptors in the DOCA-salt hypertensive rat kidney <i>K. Takatori, T. Ogura and Z. Ota (Japan)</i>	115
Gastrin releasing peptide, but not pentagastrin, stimulates ACTH and cortisol secretion in conscious dogs <i>L.D. Sander and R.M. Thomas (U.S.A.)</i>	127
The effect of HP-1 and related neutrophil granule peptides on DNA synthesis in HL60 cells <i>A. Bateman, A. Singh, L.F. Congote and S. Solomon (Canada)</i>	135
Chromatographic characterisation and biological activity of neuropeptides immunoreactive to antisera against Met ⁵ -enkephalin-Arg ⁶ -Phe ⁷ (YGGFMRF) extracted from the blowfly <i>Calliphora vomitoria</i> (Diptera) <i>H. Duve, J.C. Sewell, A.G. Scott and A. Thorpe (U.K.)</i>	145
Properties and distribution of receptors for pituitary adenylate cyclase activating peptide (PACAP) in rat brain and spinal cord <i>A. Cauvin, P. Robberecht, P. De Neef, P. Gourlet, A. Vandermeers, M.-C. Vandermeers-Piret and J. Christophe (Belgium)</i>	161
Announcements	175

Number 3, 3 September 1991

Announcement from the Publisher	iii
Naloxone blocks conditioned place preference induced by substance P and [pGlu ⁶]-SP(6-11) <i>R. U. Hasenöhrl, P. Gerhardt and J. P. Huston (F.R.G.)</i>	177
Elucidation of the sequence of canine (pro)-calcitonin. A molecular biological and protein chemical approach <i>J. A. Mol, M. M. Kwant, I. C. J. Arnold and H. A. W. Hazewinkel (The Netherlands)</i>	189
Neuromedin-N inhibits migrating myoelectric complex and induces irregular spiking in the small intestine of rats; comparison with neurotensin <i>I. Schultz, B. Wallin, M. H. Mogard and P. M. Hellström (Sweden)</i>	197
Bombesin-like immunoreactivity in skates and the in vitro effect of bombesin on coronary vessels from the longnose skate, <i>Raja rhina</i> <i>C. Bjénning, A. P. Farrell and S. Holmgren (Sweden, Canada)</i>	207
Abstracts of the Annual Meeting of the Bayliss & Starling Society, Liverpool, 23-24 September 1991	221
Author index to abstracts	263
Announcements	265
Author index to volume 35	266
Key word index to volume 35	268

